4.2.B. 0513010105.




Figure 4-9. Location of Subwatershed 0513010105. All Clear Fork of the Cumberland River HUC-10 subwatershed boundaries in Tennessee are shown for reference.

4.2.B.i. 051301010501 (Clear Fork Creek).




Figure 4-10. Location of Subwatershed 051301010501. All Clear Fork of the Cumberland River Watershed HUC-12 subwatershed boundaries in Tennessee are shown for reference.




Figure 4-11. Illustration of Land Use Distribution in Subwatershed 051301010501.




Figure 4-12. Land Use Distribution in Subwatershed 051301010501. More information is provided in Appendix IV.




Figure 4-13. STATSGO (State Soil Geographic Database) Soil Map Units in Subwatershed 051301010501.

| STATSGO MAP UNIT ID | PERCENT HYDRIC | HYDROLOGIC GROUP | PERMEABILITY (in/hour) | SOIL pH | ESTIMATED SOIL TEXTURE | SOIL ERODIBILITY |
|------------------------|-------------------|---------------------|------------------------|------------|---------------------------|---------------------|
| TN058 | 0.00 | В | 4.50 | 5.00 | Loam | 0.25 |
| TN160 | 0.00 | В | 2.69 | 5.36 | Loam | 0.25 |

Table 4-8. Soil Characteristics by STATSGO (State Soil Geographic Database) Soil Map Units in Subwatershed 051301010501. The definition of "Hydrologic Group" is provided in Appendix IV.

| | COUNTY POPULATION | | | ESTIMATED POPULATION IN WATERSHED | | | | |
|-----------|----------------------|--------|--------|-----------------------------------|-------|-------|-------|-------------------------|
| County | 1990 | 1997 | 2000 | Portion of Watershed (%) | 1990 | 1997 | 2000 | % Change (1990-2000) |
| | | | | \ / | | | | , |
| Campbell | 35,079 | 37,878 | 39,854 | 0.21 | 74 | 80 | 84 | 13.5 |
| Claiborne | 26,137 | 28,963 | 29,862 | 7.63 | 1,995 | 2,211 | 2,279 | 14.2 |
| Total | 61,216 | 66,841 | 69,716 | | 2,069 | 2,291 | 2,363 | 14.2 |

Table 4-9. Population Estimates in Subwatershed 051301010501.




Figure 4-14. Location of Monitoring Sites in EPA's STORET Database in Subwatershed 051301010501. More information, including site names and locations, and station numbers for sites located in the watershed outside of Tennessee, is provided in Appendix IV.

4.2.B.i.a. Point Source Contributions.




Figure 4-15. Location of Permits Issued in Subwatershed 051301010501. More information, including the names of facilities, is provided in Appendix IV.




Figure 4-16. Location of Active Mining Sites in Subwatershed 051301010501. More information, including the names of mining operations, is provided in Appendix IV.




Figure 4-17. Location of Water Treatment Plants in Subwatershed 051301010501. More information, including the names of facilities, is provided in Appendix IV.

4.2.B.i.b. Nonpoint Source Contributions.

| LIVESTOCK COUNTS | | | | | | |
|------------------|--------|----------|--|--|--|--|
| Beef Cow | Cattle | Milk Cow | | | | |
| | | | | | | |
| 49 | 95 | 3 | | | | |

Table 4-10. Summary of Livestock Count Estimates in Subwatershed 051301010501. According to the 1997 Census of Agriculture (http://www.nass.usda.gov/census/), "Cattle" includes heifers, heifer calves, steers, bulls and bull calves; "Chickens" are layers 20 weeks and older; "Chickens Sold" are all chickens used to produce meat.

| LIVESTOCK COUNTS | | | | | | |
|------------------|----------|--------|----------|-------------------|------|-------|
| County | Beef Cow | Cattle | Milk Cow | Chickens (Layers) | Hogs | Sheep |
| | | | | | | |
| Campbell | 4,083 | 7,684 | 66 | 8 | 14 | 0 |
| Claiborne | 18,697 | 36,566 | 1,082 | 420 | 0 | 165 |

Table 4-11. Summary of Livestock Count Estimates in Campbell and Claiborne Counties. According to the 1997 Census of Agriculture (http://www.nass.usda.gov/census/), "Cattle" includes heifers, heifer calves, steers, bulls and bull calves; "Chickens" are layers 20 weeks and older; "Chickens Sold" are all chickens used to produce meat.

| | INVEN | ITORY | REMOVAL RATE | | |
|-----------|------------------|------------------|----------------------|----------------------|--|
| | Forest Land | Timber Land | Growing Stock | Sawtimber | |
| County | (thousand acres) | (thousand acres) | (million cubic feet) | (million board feet) | |
| | | | | | |
| Campbell | 250.3 | 250.2 | 2.6 | 10.6 | |
| Claiborne | 167.6 | 167.6 | 2.6 | 12.1 | |

Table 4-12. Forest Acreage and Annual Removal Rates (1987-1994) in Campbell and Claiborne Counties.

| CROPS | TONS/ACRE/YEAR |
|---------------------------------------|----------------|
| Grass (Pastureland) | 0.42 |
| Grass (Hayland) | 1.78 |
| Legumes, Grass (Hayland) | 0.44 |
| Grass, Forbs, Legumes (Mixed Pasture) | 0.21 |
| Tobacco (Row Crops) | 15.11 |
| Other Vegetable and Truck Crops | 3.33 |
| Farmsteads and Ranch Headquarters | 0.42 |

Table 4-13. Annual Estimated Total Soil Loss in Subwatershed 051301010501.

4.2.B.ii. 051301010502 (Tackett Creek).




Figure 4-18. Location of Subwatershed 051301010502 All Clear Fork of the Cumberland River Watershed HUC-12 subwatershed boundaries in Tennessee are shown for reference.




Figure 4-19. Illustration of Land Use Distribution in Subwatershed 051301010502.




Figure 4-20. Land Use Distribution in Subwatershed 051301010502. More information is provided in Appendix IV.




Figure 4-21. STATSGO (State Soil Geographic Database) Soil Map Units in Subwatershed 051301010502.

| STATSGO MAP UNIT ID | PERCENT HYDRIC | HYDROLOGIC GROUP | PERMEABILITY (in/hour) | AIOS Ha | ESTIMATED SOIL TEXTURE | SOIL ERODIBILITY |
|------------------------|-------------------|---------------------|---------------------------|------------|---------------------------|---------------------|
| TN095 | 0.00 | В | 2.35 | 5.12 | Loam | 0.31 |
| TN158 | 22.00 | С | 1.89 | 5.14 | Silty Loam | 0.29 |
| TN160 | 0.00 | В | 2.69 | 5.36 | Loam | 0.25 |

Table 4-14. Soil Characteristics by STATSGO (State Soil Geographic Database) Soil Map Units in Subwatershed 051301010502. The definition of "Hydrologic Group" is provided in Appendix IV.

| | COUNTY POPULATION | | | ESTIMATED POPULATION IN WATERSHED | | | | |
|-----------|----------------------|--------|--------|-----------------------------------|-------|-------|-------|-------------------------|
| County | 1990 | 1997 | 2000 | Portion of Watershed (%) | 1990 | 1997 | 2000 | % Change (1990-2000) |
| | | | | | | | | |
| Campbell | 35,079 | 37,878 | 39,854 | 1.75 | 612 | 661 | 696 | 13.7 |
| Claiborne | 26,137 | 28,963 | 29,862 | 5.61 | 1,467 | 1,626 | 1,677 | 14.3 |
| Total | 61,216 | 66,841 | 69,716 | | 2,079 | 2,287 | 2,373 | 14.1 |

Table 4-15. Population Estimates in Subwatershed 051301010502.




Figure 4-22. Location of Monitoring Sites in EPA's STORET Database in Subwatershed 051301010502. More information, including site names and locations, and station numbers for sites located in the watershed outside of Tennessee, is provided in Appendix IV.

4.2.B.ii.a. Point Source Contributions.




Figure 4-23. Location of Permits Issued in Subwatershed 051301010502. More information, including the names of facilities, is provided in Appendix IV.




Figure 4-24. Location of Active Mining Sites in Subwatershed 051301010502. More information, including the names of mining operations, is provided in Appendix IV.

4.2.B.ii.b. Nonpoint Source Contributions.

| LIVESTOCK COUNTS | | | | | | |
|------------------|--------|----------|--|--|--|--|
| Beef Cow | Cattle | Milk Cow | | | | |
| | | | | | | |
| 12 | 23 | <5 | | | | |

Table 4-16. Summary of Livestock Count Estimates in Subwatershed 051301010502. According to the 1997 Census of Agriculture (http://www.nass.usda.gov/census/), "Cattle" includes heifers, heifer calves, steers, bulls and bull calves; "Chickens" are layers 20 weeks and older; "Chickens Sold" are all chickens used to produce meat.

| LIVESTOCK COUNTS | | | | | | | |
|------------------|----------|--------|----------|------------------|------|-------|--|
| County | Beef Cow | Cattle | Milk Cow | Chicken (Layers) | Hogs | Sheep | |
| | | | | | | | |
| Campbell | 4,083 | 7,684 | 66 | 8 | 14 | 0 | |
| Claiborne | 18,697 | 36,566 | 1,082 | 420 | 0 | 165 | |

Table 4-17. Summary of Livestock Count Estimates in Campbell and Claiborne Counties. According to the 1997 Census of Agriculture (http://www.nass.usda.gov/census/), "Cattle" includes heifers, heifer calves, steers, bulls and bull calves; "Chickens" are layers 20 weeks and older; "Chickens Sold" are all chickens used to produce meat.

| | INVEN | NTORY | REMOVAL RATE | | |
|-----------|------------------|------------------|----------------------|----------------------|--|
| | Forest Land | Timber Land | Growing Stock | Sawtimber | |
| County | (thousand acres) | (thousand acres) | (million cubic feet) | (million board feet) | |
| | | | | | |
| Campbell | 250.3 | 250.2 | 2.6 | 10.6 | |
| Claiborne | 167.6 | 167.6 | 2.6 | 12.1 | |

Table 4-18. Forest Acreage and Annual Removal Rates (1987-1994) in Campbell and Claiborne Counties.

| CROPS | TONS/ACRE/YEAR |
|---------------------------------------|----------------|
| Grass (Pastureland) | 0.72 |
| Grass (Hayland) | 1.78 |
| Legumes, Grass (Hayland) | 0.44 |
| Grass, Forbs, Legumes (Mixed Pasture) | 0.79 |
| Tobacco (Row Crops) | 15.11 |
| Other Vegetable and Truck Crops | 3.33 |
| Farmsteads and Ranch Headquarters | 0.34 |

Table 4-19. Annual Estimated Total Soil Loss in Subwatershed 051301010502.

4.2.B.iii. 051301010503 (Clear Fork Creek).




Figure 4-25. Location of Subwatershed 051301010503 All Clear Fork of the Cumberland River Watershed HUC-12 subwatershed boundaries in Tennessee are shown for reference.




Figure 4-26. Illustration of Land Use Distribution in Subwatershed 051301010503.




Figure 4-27. Land Use Distribution in Subwatershed 051301010503. More information is provided in Appendix IV.




Figure 4-28. STATSGO (State Soil Geographic Database) Soil Map Units in Subwatershed 051301010503.

| STATSGO MAP UNIT ID | PERCENT HYDRIC | HYDROLOGIC GROUP | PERMEABILITY (in/hour) | SOIL pH | ESTIMATED SOIL TEXTURE | SOIL ERODIBILITY |
|------------------------|-------------------|---------------------|---------------------------|------------|---------------------------|---------------------|
| TN095 | 0.00 | В | 2.35 | 5.12 | Loam | 0.31 |
| TN158 | 22.0 | С | 1.89 | 5.14 | Silty Loam | 0.29 |
| TN160 | 0.00 | В | 2.69 | 5.36 | Loam | 0.25 |

Table 4-20. Soil Characteristics by STATSGO (State Soil Geographic Database) Soil Map Units in Subwatershed 051301010503. The definition of "Hydrologic Group" is provided in Appendix IV.

33

| | COUNTY POPULATION | | | | | NATED PO | PULATION SHED | |
|----------|----------------------|--------|--------|--------------------------|------|----------|------------------|-------------------------|
| County | 1990 | 1997 | 2000 | Portion of Watershed (%) | 1990 | 1997 | 2000 | % Change (1990-2000) |
| | | | | | | | | |
| Campbell | 35,079 | 37,878 | 39,854 | 2.26 | 791 | 854 | 899 | 13.7 |

Table 4-21. Population Estimates in Subwatershed 051301010503.

| | | | | NUMBER OF HO | USING UNITS | |
|-----------------|----------|------------|-------|--------------|-------------|-------|
| Populated Place | County | Population | Total | Public Sewer | Septic Tank | Other |
| | | | | | | |
| Jellico | Campbell | 2,470 | 1,107 | 1,026 | 64 | 17 |

Table 4-22. Housing and Sewage Disposal Practices of Select Communities in Subwatershed 051301010503.




Figure 4-29. Location of Monitoring Sites in EPA's STORET Database in Subwatershed 051301010503. More information, including site names and locations, and station numbers for sites located in the watershed outside of Tennessee, is provided in Appendix IV.

4.2.B.iii.a. Point Source Contributions.




Figure 4-30. Location of Permits Issued in Subwatershed 051301010503. More information, including the names of facilities, is provided in Appendix IV.




Figure 4-31. Location of Active Mining Sites in Subwatershed 051301010503. More information, including the names of mining operations, is provided in Appendix IV.

4.2.B.iii.b. Nonpoint Source Contributions.

| LIVESTOCK COUNTS | | | | |
|---------------------|--------|--|--|--|
| Beef Cow | Cattle | | | |
| | | | | |
| 27 | 51 | | | |

Table 4-23. Summary of Livestock Count Estimates in Subwatershed 051301010503. According to the 1997 Census of Agriculture (http://www.nass.usda.gov/census/), "Cattle" includes heifers, heifer calves, steers, bulls and bull calves.

| LIVESTOCK COUNTS | | | | | | |
|------------------|----------|--------|----------|-------------------|------|--|
| County | Beef Cow | Cattle | Milk Cow | Chickens (Layers) | Hogs | |
| | | | | | | |
| Campbell | 4,083 | 7,684 | 66 | 8 | 14 | |

Table 4-24. Summary of Livestock Count Estimates in Campbell County. According to the 1997 Census of Agriculture (http://www.nass.usda.gov/census/), "Cattle" includes heifers, heifer calves, steers, bulls and bull calves; "Chickens" are layers 20 weeks and older; "Chickens Sold" are all chickens used to produce meat.

| | INVEN | NTORY | REMOVAL RATE | | |
|----------|------------------|------------------|----------------------|----------------------|--|
| | Forest Land | Timber Land | Growing Stock | Sawtimber | |
| County | (thousand acres) | (thousand acres) | (million cubic feet) | (million board feet) | |
| | | | | | |
| Campbell | 250.3 | 250.2 | 2.6 | 10.6 | |

Table 4-25. Forest Acreage and Annual Removal Rates (1987-1994) in Subwatershed 051301010503.

| CROPS | TONS/ACRE/YEAR |
|---------------------------------------|----------------|
| Grass (Pastureland) | 1.73 |
| Grass (Hayland) | 1.78 |
| Legumes, Grass (Hayland) | 0.44 |
| Grass, Forbs, Legumes (Mixed Pasture) | 2.74 |
| Tobacco (Row Crops) | 15.11 |
| Other Vegetable and Truck Crops | 3.33 |
| Farmsteads and Ranch Headquarters | 0.07 |

Table 4-26. Annual Estimated Total Soil Loss in Subwatershed 051301010503.

4.2.B.iv. 051301010504 (Laural Creek).




Figure 4-32. Location of Subwatershed 051301010504. All Clear Fork of the Cumberland River Watershed HUC-12 subwatershed boundaries in Tennessee are shown for reference.




Figure 4-33. Illustration of Land Use Distribution in Subwatershed 051301010504.




Figure 4-34. Land Use Distribution in Subwatershed 051301010504. More information is provided in Appendix IV.




Figure 4-35. STATSGO (State Soil Geographic Database) Soil Map Units in Subwatershed 051301010504.

| STATSGO MAP UNIT ID | PERCENT HYDRIC | HYDROLOGIC GROUP | PERMEABILITY (in/hour) | SOIL pH | ESTIMATED SOIL TEXTURE | SOIL ERODIBILITY |
|------------------------|-------------------|---------------------|------------------------|------------|---------------------------|---------------------|
| TN160 | 0.00 | В | 2.69 | 5.36 | Loam | 0.25 |

Table 4-27. Soil Characteristics by STATSGO (State Soil Geographic Database) Soil Map Units in Subwatershed 051301010504. The definition of "Hydrologic Group" is provided in Appendix IV.

.

| | COUNTY POPULATION | | | ESTIMATED POPULATION IN WATERSHED | | | | |
|-----------|----------------------|--------|--------|-----------------------------------|------|------|------|-------------------------|
| County | 1990 | 1997 | 2000 | Portion of Watershed (%) | 1990 | 1997 | 2000 | % Change (1990-2000) |
| | | | | | | | | |
| Campbell | 35,079 | 37,878 | 39,854 | 0.62 | 218 | 235 | 247 | 13.3 |
| Claiborne | 26,137 | 28,963 | 29,862 | 0.3 | 78 | 87 | 89 | 14.1 |
| Total | 61,216 | 66,841 | 69,716 | | 296 | 322 | 336 | 13.5 |

Table 4-28. Population Estimates in Subwatershed 051301010504.

4.2.B.iv.a. Point Source Contributions.

There are no point source contributions in this subwatershed.

4.2.B.iv.b. Nonpoint Source Contributions.

| LIVESTOCK COUNTS | | | | | |
|---------------------|--------|--|--|--|--|
| Beef Cow | Cattle | | | | |
| | | | | | |
| <5 | 5 | | | | |

Table 4-29. Summary of Livestock Count Estimates in Subwatershed 051301010504. According to the 1997 Census of Agriculture (http://www.nass.usda.gov/census/), "Cattle" includes heifers, heifer calves, steers, bulls and bull calves; "Chickens" are layers 20 weeks and older; "Chickens Sold" are all chickens used to produce meat.

| LIVESTOCK COUNTS | | | | | | |
|------------------|----------|--------|----------|-------------------|------|-------|
| County | Beef Cow | Cattle | Milk Cow | Chickens (Layers) | Hogs | Sheep |
| | | | | | | |
| Campbell | 4,083 | 7,684 | 66 | 8 | 14 | 0 |
| Claiborne | 18,697 | 36,566 | 1,082 | 420 | 0 | 165 |

Table 4-30. Summary of Livestock Count Estimates in Campbell and Claiborne Counties. According to the 1997 Census of Agriculture (http://www.nass.usda.gov/census/), "Cattle" includes heifers, heifer calves, steers, bulls and bull calves; "Chickens" are layers 20 weeks and older.

| | INVEN | NTORY | REMOVAL RATE | | |
|-----------|------------------|------------------|----------------------|----------------------|--|
| | Forest Land | Timber Land | Growing Stock | Sawtimber | |
| County | (thousand acres) | (thousand acres) | (million cubic feet) | (million board feet) | |
| | | | | | |
| Campbell | 250.3 | 250.2 | 2.6 | 10.6 | |
| Claiborne | 167.6 | 167.6 | 2.6 | 12.1 | |

Table 4-31. Forest Acreage and Annual Removal Rates (1987-1994) in Campbell ande Claiborne Counties.

| CROPS | TONS/ACRE/YEAR |
|---------------------------------------|----------------|
| Grass (Pastureland) | 1.32 |
| Grass (Hayland) | 1.78 |
| Legumes, Grass (Hayland) | 0.44 |
| Grass, Forbs, Legumes (Mixed Pasture) | 1.93 |
| Tobacco (Row Crops) | 15.11 |
| Other Vegetable and Truck Crop | 3.33 |
| Farmsteads and Ranch Headquarters | 0.18 |

Table 4-32. Annual Estimated Total Soil Loss in Subwatershed 051301010504.

4.2.B.v. 051301010505 (Mud Creek).




Figure 4-36. Location of Subwatershed 051301010505. All Clear Fork of the Cumberland River Watershed HUC-12 subwatershed boundaries in Tennessee are shown for reference.




Figure 4-37. STATSGO (State Soil Geographic Database) Soil Map Units in Subwatershed 051301010505.

| STATSGO MAP UNIT ID | PERCENT HYDRIC | HYDROLOGIC GROUP | PERMEABILITY (in/hour) | SOIL pH | ESTIMATED SOIL TEXTURE | SOIL ERODIBILITY |
|------------------------|-------------------|---------------------|------------------------|------------|---------------------------|---------------------|
| TN160 | 22.00 | С | 1.89 | 5.14 | Silty Loam | 0.29 |
| TN160 | 0.00 | В | 2.69 | 5.36 | Loam | 0.25 |

Table 4-33. Soil Characteristics by STATSGO (State Soil Geographic Database) Soil Map Units in Subwatershed 051301010505. The definition of "Hydrologic Group" is provided in Appendix IV.

| | COUNTY POPULATION | | | | | N WATER | PULATION SHED | |
|----------|----------------------|--------|--------------------------|------|------|---------|-------------------------|------|
| County | 1990 1997 2000 | | Portion of Watershed (%) | 1990 | 1997 | 2000 | % Change (1990-2000) | |
| | | | | | | | | |
| Campbell | 35,079 | 37,878 | 39,854 | 0.11 | 39 | 42 | 44 | 12.8 |

Table 4-34. Population Estimates in Subwatershed 051301010505.

4.2.v.a. Point Source Contributions.

There are no point source contributions in this subwatershed.

4.2.B.v.b. Nonpoint Source Contributions.

| LIVESTOCK COUNTS | | | | | | |
|---------------------|--------|--|--|--|--|--|
| Beef Cow | Cattle | | | | | |
| | | | | | | |
| 12 | 23 | | | | | |

Table 4-35. Summary of Livestock Count Estimates in Subwatershed 051301010505. According to the 1997 Census of Agriculture (http://www.nass.usda.gov/census/), "Cattle" includes heifers, heifer calves, steers, bulls and bull calves; "Chickens" are layers 20 weeks and older; "Chickens Sold" are all chickens used to produce meat.

| LIVESTOCK COUNTS | | | | | | | | | |
|------------------|----------|--------|----------|-------------------|------|--|--|--|--|
| County | Beef Cow | Cattle | Milk Cow | Chickens (Layers) | Hogs | | | | |
| | | | | | | | | | |
| Campbell | 4,083 | 7,684 | 66 | 8 | 14 | | | | |

Table 4-36. Summary of Livestock Count Estimates in Campbell County. According to the 1997 Census of Agriculture (http://www.nass.usda.gov/census/), "Cattle" includes heifers, heifer calves, steers, bulls and bull calves; "Chickens" are layers 20 weeks and older.

| | INVEN | ITORY | REMOVAL RATE | | |
|----------|------------------------------|------------------------------|---------------------------------------|-----------------------------------|--|
| County | Forest Land (thousand acres) | Timber Land (thousand acres) | Growing Stock (million cubic feet) | Sawtimber (million board feet) | |
| Campbell | 250.3 | 250.2 | 2.6 | 10.6 | |

Table 4-37. Forest Acreage and Annual Removal Rates (1987-1994) in Subwatershed 051301010505.

| CROPS | TONS/ACRE/YEAR |
|---------------------------------------|----------------|
| Grass (Pastureland) | 1.73 |
| Grass (Hayland) | 1.78 |
| Legumes, Grass (Hayland) | 0.44 |
| Grass, Forbs, Legumes (Mixed Pasture) | 2.74 |
| Tobacco (Row Crops) | 15.11 |
| Other Vegetable and Truck Crops | 3.33 |
| Farmsteads and Ranch Headquarters | 0.07 |

Table 4-38. Annual Estimated Total Soil Loss in Subwatershed 051301010505.

4.2.B.vi. 051301010506 (Elk Fork Creek).




Figure 4-38. Location of Subwatershed 051301010506. All Clear Fork of the Cumberland River Watershed HUC-12 subwatershed boundaries in Tennessee are shown for reference.




Figure 4-39. Illustration of Land Use Distribution in Subwatershed 051301010506.




Figure 4-40. Land Use Distribution in Subwatershed 051301010506. More information is provided in Appendix IV.




Figure 4-41. STATSGO (State Soil Geographic Database) Soil Map Units in Subwatershed 051301010506.

| STATSGO MAP UNIT ID | PERCENT HYDRIC | HYDROLOGIC GROUP | PERMEABILITY (in/hour) | SOIL pH | ESTIMATED SOIL TEXTURE | SOIL ERODIBILITY |
|------------------------|-------------------|---------------------|---------------------------|------------|------------------------|---------------------|
| TN095 | 0.00 | В | 2.35 | 5.12 | Loam | 0.31 |
| TN158 | 22.00 | С | 1.89 | 5.14 | Silty Loam | 0.29 |
| TN160 | 0.00 | В | 2.69 | 5.36 | Loam | 0.25 |

Table 4-39. Soil Characteristics by STATSGO (State Soil Geographic Database) Soil Map Units in Subwatershed 051301010506. The definition of "Hydrologic Group" is provided in Appendix IV.

.

| | COUNTY POPULATION | | | | | IATED PO N WATER | PULATION SHED | |
|----------|----------------------|--------|--------------------------|------|-------|---------------------|-------------------------|------|
| County | 1990 1997 2000 | | Portion of Watershed (%) | 1990 | 1997 | 2000 | % Change (1990-2000) | |
| | | | | | | | | |
| Campbell | 35,079 | 37,878 | 39,854 | 10.5 | 3,684 | 3,978 | 4,186 | 13.6 |
| Scott | 18,358 | 19,816 | 21,127 | 0.3 | 55 | 59 | 63 | 14.5 |
| Total | 53,437 | 57,694 | 60,981 | | 3,739 | 4,037 | 4,249 | 13.6 |

Table 4-40. Population Estimates in Subwatershed 051301010506.

| | | | | NUMBER OF HO | USING UNITS | |
|-----------------|----------|------------|-------|--------------|-------------|-------|
| Populated Place | County | Population | Total | Public Sewer | Septic Tank | Other |
| | | | | | | |
| Jellico | Campbell | 2,470 | 1,107 | 1,026 | 64 | 17 |

Table 4-41. Housing and Sewage Disposal Practices of Select Communities in Subwatershed 051301010506.




Figure 4-42. Location of Monitoring Sites in EPA's STORET Database in Subwatershed 051301010506. More information, including site names and locations, and station numbers for sites located in the watershed outside of Tennessee, is provided in Appendix IV.

4.2.B.vi.a. Point Source Contributions.




Figure 4-43. Location of Permits Issued in Subwatershed 051301010506. More information, including the names of facilities, is provided in Appendix IV.




Figure 4-44. Location of Active NPDES Sites in Subwatershed 051301010506. More information, including the names of facilities, is provided in Appendix IV.




Figure 4-45. Location of Active Mining Sites in Subwatershed 051301010506. More information, including the names of mining operations, is provided in Appendix IV.




Figure 4-46. Location of Aquatic Resource Alteration Permit (ARAP) Sites (Individual Permits) in Subwatershed 051301010506. More information is provided in Appendix IV.

4.2.B.vi.a.i. Dischargers to Water Bodies Listed on the 2004 303(d) List

There is one NPDES facility discharging to water bodies listed on the 2004 303(d) list in Subwatershed 051301010506:

TN0022861 (Jellico STP) discharges to Elk Fork Creek @ RM 2.1




Figure 4-47. Location of NPDES Dischargers to Water Bodies Listed on the 2004 303(d) List in Subwatershed 051301010506. More information, including the names of facilities, is provided in Appendix IV.

| Permit # | 3Q2 | 1Q10 | 3Q10 | 3Q20 | 7Q10 |
|-----------|------|------|------|------|------|
| TN0022861 | 0.30 | na | 0.07 | 0.05 | 0.09 |

Table 4-42. Receiving Stream Low Flow Information for NPDES Dischargers to Waterbodies Listed on the 2004 303(d) List in Subwatershed 051301010506. Data are in cubic feet per second (CFS). Data were obtained from the USGS web application StreamStats at http://water.usgs.gov/osw/streamstats/. (na, data not available)

| | CBOD ₅ | FECAL COLIFORM | TRC | TSS | SETTLEABLE SOLIDS | DO | рН |
|-----------|-------------------|-------------------|-----|-----|----------------------|----|----|
| PERMIT # | | | | | | | |
| TN0022861 | Χ | Х | Χ | Χ | X | Χ | Χ |

Table 4-43. Parameters Monitored for Daily Maximum Limits for NPDES Dischargers to Waterbodies Listed on the 2004 303(d) List in Subwatershed 051301010506. CBOD₅, Carbonaceous Biochemical Oxygen Demand (5-Day); TRC, Total Residual Chlorine; TSS, Total Suspended Solids.

4.2.B.vi.b. Nonpoint Source Contributions.

| LIVESTOCK COUNTS | | | | | | |
|------------------|--------|----------|-------------------|--------------------------|------|--|
| Beef Cow | Cattle | Milk Cow | Chickens (Layers) | Chickens (Broilers Sold) | Hogs | |
| | | | | | | |
| 503 | 948 | 8 | 1 | 2,768 | 2 | |

Table 4-44. Summary of Livestock Count Estimates in Subwatershed 051301010506. According to the 1997 Census of Agriculture (http://www.nass.usda.gov/census/), "Cattle" includes heifers, heifer calves, steers, bulls and bull calves; "Chickens" are layers 20 weeks and older; "Chickens Sold" are all chickens used to produce meat.

| LIVESTOCK COUNTS | | | | | | | |
|------------------|----------|--------|----------|-------------------|--------------------------|------|-------|
| County | Beef Cow | Cattle | Milk Cow | Chickens (Layers) | Chickens (Broilers Sold) | Hogs | Sheep |
| | | | | | | | |
| Campbell | 4,083 | 7,684 | 66 | 8 | 0 | 14 | 0 |
| Scott | 2,177 | 4,447 | 216 | 196 | 1,989,506 | 17 | 74 |

Table 4-45. Summary of Livestock Count Estimates in Campbell and Scott Counties. According to the 1997 Census of Agriculture (http://www.nass.usda.gov/census/), "Cattle" includes heifers, heifer calves, steers, bulls and bull calves; "Chickens" are layers 20 weeks and older: "Chickens Sold" are all chickens used to produce meat.

| | INVE | NTORY | REMOVAL RATE | | |
|----------|------------------------------|------------------------------|------------------------------------|--------------------------------|--|
| County | Forest Land (thousand acres) | Timber Land (thousand acres) | Growing Stock (million cubic feet) | Sawtimber (million board feet) | |
| | | | | | |
| Campbell | 250.3 | 250.2 | 2.6 | 10.6 | |
| Scott | 300.3 | 300.3 | 5.5 | 21.4 | |

Table 4-46. Forest Acreage and Annual Removal Rates (1987-1994) in Campbell and Scott Counties.

| CROPS | TONS/ACRE/YEAR |
|---------------------------------------|----------------|
| Grass (Pastureland) | 1.69 |
| Grass (Hayland) | 1.78 |
| Legumes, Grass (Hayland) | 0.44 |
| Grass, Forbs, Legumes (Mixed Pasture) | 2.68 |
| Tobacco (Row Crops) | 15.11 |
| Other Vegetable and Truck Crops | 3.33 |
| Farmsteads and Ranch Headquarters | 0.07 |

Table 4-47. Annual Estimated Total Soil Loss in Subwatershed 051301010506.